

NO PART OF THIS DRAWING MAY BE REPRODUCED OR TRANSMITTED IN ANY FORM OR STORED IN ANY RETRIEVAL SYSTEM OF ANY NATURE WITHOUT THE WRITTEN PERMISSION OF AKM DESIGN AS COPYRIGHT HOLDER EXCEPT AS AGREED FOR USE ON THE PROJECT FOR WHICH THE DRAWING WAS ORIGINALLY ISSUED.








ALL DIMENSIONS IN m UNLESS NOTED.

DO NOT SCALE DIMENSIONS.

THE CONTRACTOR SHALL CHECK ALL DIMENSIONS PRIOR TO COMMENCEMENT OF CONSTRUCTION. DISCREPANCIES SHALL BE REPORTED TO THIS OFFICE IN WRITING.

1. WASTEWATER SERVICES ARE TO BE IN ACCORDANCE WITH IRISH WATER CODE OF PRACTICE DOC W-CDS-5030-03
2. ALL INFRASTRUCTURE WILL BE PROVIDED IN LINE WITH THE IRISH WATER STANDARD DETAILS
3. uPVC S88 PIPES TO BE USED FOR FOUL WASTEWATER SENER LAYOUT
4. MANHOLES LOCATED IN GRASS AREAS ARE TO BE SURROUNDED BY A CONCRETE PLINTH, 200MM ALL ROUND AND 100MM DEEP FORMED OF C20/25 CONCRETE, 20MM AGGREGATE SIZE BEDDED IN CLASS 804 MATERIAL.

1. STORMWATER SERVICES ARE TO BE IN ACCORDANCE WITH "RECOMMENDATIONS FOR SITE DEVELOPMENT WORKS", "GREATER DUBLIN REGIONAL CODE OF PRACTICE FOR DRAINAGE WORKS" AND LOCAL AUTHORITY REQUIREMENTS
2. uPVC S88 PIPES TO BE USED FOR STORM WATER SEWER LAYOUT




REV	DATE	DESCRIPTION
-----	------	-------------

**COPYRIGHT RESERVED - THIS DRAWING IS NOT TO BE USED FOR ANY PURPOSE OTHER THAN THAT FOR WHICH IT HAS BEEN ISSUED NOR IS IT TO BE COPIED WITHOUT WRITTEN PERMISSION OF AKM CONSULTANTS LIMITED**

CLIENT

MARSHALL YARDS DEVELOPMENT  
COMPANY LTD.

PROJECT TITLE

CARTRON GALWAY

DRAWING TITLE

PROPOSED FOUL SEWER SECTIONS

SCALES: I:1000 HORIZONTAL I:200 VERTICAL		DRAWN: AB	APPROVED: CK
		DATE: 04/24	DATE: 04/24
DOCUMENT NUMBER: 23011-AKM-XXXX-XX-DR-COI-410001			STAGE: S2
PROJECT CODE: 23011	SEQUENCE NUMBER: 400001		AKM JOB NUMBER: 23011
DEPARTMENT CODE: E	ROLES CODE: COI		DOCUMENT CODE: DR
ORGANISATION CODE: AKM	LEVELS & LOCATION CODE: XX		REVISION: 00