

NOTES

NO PART OF THIS DRAWING MAY BE REPRODUCED OR TRANSMITTED IN ANY FORM OR STORED IN ANY RETRIEVAL SYSTEM OF ANY NATURE WITHOUT THE WRITTEN PERMISSION OF AKM DESIGN AS COPYRIGHT HOLDER EXCEPT AS AGREED FOR USE ON THE PROJECT FOR WHICH THE DRAWING WAS ORIGINALLY ISSUED.













- THIS DRAWING SHALL BE READ IN CONJUNCTION WITH ALL RELEVANT ENGINEERS, ARCHITECTS AND SPECIALISTS DRAWINGS AND SPECIFICATION.
- ALL DIMENSIONS IN m UNLESS NOTED.
- DO NOT SCALE DIMENSIONS.
- THE CONTRACTOR SHALL CHECK ALL DIMENSIONS PRIOR TO COMMENCEMENT OF CONSTRUCTION. DISCREPANCIES SHALL BE REPORTED TO THIS OFFICE IN WRITING.

WASTEWATER

- WASTEWATER SERVICES ARE TO BE IN ACCORDANCE WITH IRISH WATER CODE OF PRACTICE DOC 716-CDS-5030-03
- ALL INFRASTRUCTURE WILL BE PROVIDED IN LINE WITH THE IRISH WATER STANDARD DETAILS
- UPVC S188 PIPES TO BE USED FOR FOUL WASTEWATER SEWER LAYOUT
- MANHOLES LOCATED IN GRASS AREAS ARE TO BE SURROUNDED BY A CONCRETE PLINTH, 200MM ALL ROUND AND 100MM DEEP FORMED OF C20/25 CONCRETE, 20MM AGGREGATE SIZE BEDDED IN CLASS B04 MATERIAL.

STORMWATER

- STORMWATER SERVICES ARE TO BE IN ACCORDANCE WITH "RECOMMENDATIONS FOR SITE DEVELOPMENT WORKS", "GREATER DUBLIN REGIONAL CODE OF PRACTICE FOR DRAINAGE WORKS" AND LOCAL AUTHORITY REQUIREMENTS
- UPVC S188 PIPES TO BE USED FOR STORM WATER SEWER LAYOUT




REV	DATE	DESCRIPTION
-----	------	-------------

FOR INFORMATION

COPYRIGHT RESERVED - THIS DRAWING IS NOT TO BE USED FOR ANY PURPOSE OTHER THAN THAT FOR WHICH IT HAS BEEN ISSUED NOR IS IT TO BE COPIED WITHOUT WRITTEN PERMISSION OF AKM CONSULTANTS LIMITED

PREPARED BY



**AKM DESIGN**  
Chartered Consulting Engineers  
Unit 6, Kingwood Business Centre,  
Citywest Business Campus, Dublin 24  
T: +353 1 479 6234 E: info@akmdesign.ie  
Structural | Civil | Building | Development Consultants | Sustainable Design

CLIENT

MARSHALL YARDS DEVELOPMENT COMPANY LTD.

PROJECT TITLE

CARTRON GALWAY

DRAWING TITLE

PROPOSED STORM SECTIONS SHEET 2/2

SCALES: 1:1000 HORIZONTAL 1:200 VERTICAL	DRAWN: AB DATE: 04/24	APPROVED: CK DATE: 04/24
DOCUMENT NUMBER: 2301I-AKM-XXXX-XX-DR-C01-410003	SEQUENCE NUMBER: 400003	STAGE: S2
PROJECT CODE: 2301I	AKM JOB NUMBER: 2301I	
DEPARTMENT CODE: E	ROLES CODE: C01	DOCUMENT CODE: DR
ORGANISATION CODE: AKM	LEVELS & LOCATION CODE: XX	REVISION: 00